

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	1662	(PT or pzt or "lead titanate zirconate" or "lead zirconate titanate" or "lead titanate") same perovskite	USPAT	2006/01/24 12:11	
2	BRS	L2	599	piezoelectric and (PT or pzt or "lead titanate zirconate" or "lead zirconate titanate" or "lead titanate") same perovskite	USPAT	2006/01/24 12:12	
3	BRS	L3	41	piezoelectric and (PT or pzt or "lead titanate zirconate" or "lead zirconate titanate" or "lead titanate") same particles same perovskite	USPAT	2006/01/24 12:58	
4	BRS	L4	8	piezoelectric adj2 powder and dielectric adj2 powder	USPAT	2006/01/24 13:05	
5	BRS	L5	6	piezoelectric adj2 particle\$1 same dielectric adj2 particle\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/01/24 13:11	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
6	BRS	L6	0	piezoelectric adj2 calcin\$5 same dielectric adj2 calcin\$5	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2006/01/2 4 13:11	
7	BRS	L7	0	piezoelectric adj2 (particle\$1 or powder) same first adj1 dielectric and second adj1 dielectric	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2006/01/2 4 13:19	
8	BRS	L8	18510	first adj1 dielectric and second adj1 dielectric	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2006/01/2 4 13:19	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
9	BRS	L9	95	first adj1 dielectric and second adj1 dielectric and (pzt or pt) same perovskite	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2006/01/2 4 13:27	
10	BRS	L10	102	(Pbtio3 or "lead titanate") adj3 dielectric adj1constant and (bifeo3) adj3 dielectric adj1 constant	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2006/01/2 4 13:28	
11	BRS	L11	0	(Pbtio3 or "lead titanate") adj3 dielectric adj1 constant and bifeo3 adj3 dielectric adj1 constant	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2006/01/2 4 13:31	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
12	BRS	L12	26	bifeo3	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2006/01/2 4 13:31	
13	BRS	L13	26	bifeo3	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2006/01/2 4 13:31	
14	BRS	L14	0	bifeo3 same dielectric adj2 constant	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2006/01/2 4 13:31	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
15	BRS	L15	2	bifeo3 same dielectric	US-PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2006/01/24 13:39	
16	BRS	L16	2	"bismuth iron oxide" same dielectric	US-PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2006/01/24 13:42	
17	BRS	L17	275	(PZT or PMN or pt) same dielectric and second adj2 material same dielectric	US-PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2006/01/24 14:19	
18	IS&R	L18	441	(310/358).CCLS.	USPAT	2006/01/24 14:32	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
19	IS&R	L19	260	(310/358).CCLS.	US- PGPUB ; EPO; JPO; DERWE NT; IBM_T DB	2006/01/2 4 14:41	
20	BRS	L20	20	"4595515".uref. or "5221872".uref.	USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2006/01/2 4 14:41	

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)[Advanced Search](#)  
[Preferences](#)**Web**Results 1 - 10 of about 2,200,000 for **high dielectric constant materials**. (0.07 seconds)**IPRO 327: Development of a High Dielectric Constant****Material**

IPRO 327: Development of a **High Dielectric Constant Material**.  
OBJECTIVES. Experimental design for measurement of **dielectric constants at high frequencies** ...

[www.iit.edu/~ipro327s02/](http://www.iit.edu/~ipro327s02/) - 16k - [Cached](#) - [Similar pages](#)

**dielectric material - a Whatis.com definition - see also:****dielectric**

A **dielectric material** is a substance that is a poor conductor of electricity, but an efficient ... Metal oxides, in general, have **high dielectric constants**. ...

[whatis.techtarget.com/definition/ 0,,sid9\\_gci211945,00.html](http://whatis.techtarget.com/definition/0,,sid9_gci211945,00.html) - 48k - Jan 22, 2006 - [Cached](#) - [Similar pages](#)

**[PDF] Plasma etching of high dielectric constant materials on silicon in ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

of etching of **high dielectric constant materials** as gate oxides. in MOSFET devices.  
Pelhos et al. studied the etching of ...

[www.seas.ucla.edu/Chang/papers/Chang-Mechanism\\_Etch-paper.pdf](http://www.seas.ucla.edu/Chang/papers/Chang-Mechanism_Etch-paper.pdf) - Jan 22, 2006 - [Similar pages](#)

**Hitachi Chemical Co. America, Ltd. [base materials for PWBs]**

MCL-HD-67" is **high-dielectric constant**, and low dissipation factor **materials** for multilayer boards. It is suitable for amplifier circuit board which is ...

[www.hitachi-chemical.com/products\\_bm\\_08.htm](http://www.hitachi-chemical.com/products_bm_08.htm) - 20k - [Cached](#) - [Similar pages](#)

**[PDF] Charge transfer in the high dielectric constant materials CaCu Ti ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**High dielectric constant materials** find numerous techno-. logical applications. In the case of memory devices based on. capacitive components, such as ...

[infrared.phy.bnl.gov/pdf/homes/homes\\_2003a.pdf](http://infrared.phy.bnl.gov/pdf/homes/homes_2003a.pdf) - [Similar pages](#)

**Elsevier.com - Handbook of Low and High Dielectric Constant ...**

HANDBOOK OF LOW AND HIGH DIELECTRIC CONSTANT MATERIALS AND THEIR APPLICATIONS, TWO-VOLUME SET, 1-2. Handbook of Low and **High Dielectric Constant Materials** ...

[www.elsevier.com/wps/product/cws\\_home/675267](http://www.elsevier.com/wps/product/cws_home/675267) - 54k - [Cached](#) - [Similar pages](#)

**Charge transfer in the high dielectric constant materials ...**

Title: Charge transfer in the **high dielectric constant materials** CaCu<sub>3</sub>Ti<sub>4</sub>O<sub>12</sub> and CdCu<sub>3</sub>Ti<sub>4</sub>O<sub>12</sub> Authors: Homes, CC; Vogt, T.; Shapiro, SM; Si, W.; Wakimoto, ...

[adsabs.harvard.edu/abs/2002cond.mat..9367H](http://adsabs.harvard.edu/abs/2002cond.mat..9367H) - [Similar pages](#)

**K181 - Lead Zirconate Titanate Piezoelectric Ceramic with High ...**

... piezoelectric ceramic with a **high dielectric constant**, **high** shear coupling coefficient, ...

This **material** has a **high** shear coupling coefficient with low ...

[www.piezotechnologies.com/k181.htm](http://www.piezotechnologies.com/k181.htm) - 15k - [Cached](#) - [Similar pages](#)

**Sponsored Links****Buy the Book from Amazon**

**High dielectric constant materials**

Free US Shipping Available

[www.amazon.com](http://www.amazon.com)

**Dielectric Materials**

Eccostock Low Loss Dielectrics

Free Samples Available!

[www.eccosorb.com](http://www.eccosorb.com)

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

pmn-pzt dielectric constant

Search

[Advanced Search](#)  
[Preferences](#)**Web**Results 11 - 20 of about 86 for **pmn-pzt dielectric constant**. (0.11 seconds)**[PDF] CMU. J P.01-03**File Format: PDF/Adobe Acrobat - [View as HTML](#)Most of earlier work on **PMN-PZT** ceramic systems has been mainly focused on ...PMN has advantages of having very high **dielectric constant** and broader ...[cmuj.chiangmai.ac.th/full/2004/may2004-6.pdf](http://cmuj.chiangmai.ac.th/full/2004/may2004-6.pdf) - [Similar pages](#)**[PDF] Presentazione di PowerPoint**File Format: PDF/Adobe Acrobat - [View as HTML](#)... **dielectric constant**  $\epsilon_r$  : Method: high  $\epsilon_r$  compound materials: **dielectric** elastomer + high  $\epsilon_r$  inorganic powders (eg **TiO<sub>2</sub>**, **PMN**, **PZT**...) 2 0 ...[www.neuro-it.net/Activities/Alicante2003/bioloach](http://www.neuro-it.net/Activities/Alicante2003/bioloach) - Supplemental Result - [Similar pages](#)**[PDF] International Workshop SMART MATERIALS AND STRUCTURES**File Format: PDF/Adobe Acrobat - [View as HTML](#)development of **PMN-PZT** based binary systems with a view to producing composite... The **dielectric constant** and **dielectric** loss data were obtained ...[www.sensortech.ca/site/content/2005-02%20Development%20of%20Piezoelectric%20Ceramic%20Composites.pdf](http://www.sensortech.ca/site/content/2005-02%20Development%20of%20Piezoelectric%20Ceramic%20Composites.pdf) - [Similar pages](#)**[PDF] Ferroelectricity Newsletter**File Format: PDF/Adobe Acrobat - [View as HTML](#)**Dielectric** and electromechanic. properties of **PMN-PZT** solid ... Field cooled-field heated **dielectric constant** of the 6.5/65/35 hot-. pressed PLZT ceramics ...[www.sp.nps.navy.mil/projects/ferro/Vol13no1and2.pdf](http://www.sp.nps.navy.mil/projects/ferro/Vol13no1and2.pdf) - [Similar pages](#)**한국세라믹학회** - [ [Translate this page](#) ]... The additive of low temperature sintering in Mn-doped **PMN-PZT** known as high piezoelectric ... **Dielectric constant** with the addition of B<sub>2</sub>O<sub>3</sub> was evaluated. ...[kcers.icm.re.kr/paper/view.jsp?id=70422](http://kcers.icm.re.kr/paper/view.jsp?id=70422) - 24k - Supplemental Result - [Cached](#) - [Similar pages](#)**[PDF] PIEZOELECTRIC MATERIALS FOR ULTRASONIC TRANSDUCERS : REVIEW OF ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)the value of the **dielectric constant** also has an important role on the ...properties such as **dielectric constant** and grain size allow to choose a specific ...[www.ia.csic.es/Sea/sevilla02/ult04010.pdf](http://www.ia.csic.es/Sea/sevilla02/ult04010.pdf) - Supplemental Result - [Similar pages](#)**IngentaConnect Nonlinear Dielectric Response of Relaxor PMN-PZT ...**The **Dielectric constant** decay with dc Electric Field was observed in The range of diffuse phase transitions. The Nonlinear **Dielectric** Response was ...[www.ingentaconnect.com/content/tandf/gfer/2004/00000307/00000001/art00018](http://www.ingentaconnect.com/content/tandf/gfer/2004/00000307/00000001/art00018) - Supplemental Result - [Similar pages](#)**[PDF] Publications of Professor Roger Whatmore Refereed Journal Articles**File Format: PDF/Adobe Acrobat - [View as HTML](#)Osbond PC and Whatmore RW, "High **Dielectric Constant** Ceramics in the ...pyroelectric ceramics in the **PMN-PZT** System" Presented at Ferroelectrics ...[www.cranfield.ac.uk/sims/materials/nanotech/contacts/pubs/whatmore.pdf](http://www.cranfield.ac.uk/sims/materials/nanotech/contacts/pubs/whatmore.pdf) - [Similar pages](#)





bismuth iron oxide dielectric value

Search

[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)

Scholar

Results 1 - 10 of about 463 for **bismuth iron oxide dielectric value**. (0.31 seconds)

### On the Dielectric Constants of Metallic Oxides Dissolved or Suspended in Ice Cooled to the

...  
 J Dewar, JA Fleming - Proceedings of the Royal Society of London, 1897 - [links.jstor.org](#)  
 ... presence of caesium hydrate, lithium hydrate, **bismuth oxide**, aluminic **oxide** ... rubidium,  
 or the oxides of copper, **iron**, or lead ... be in the case of the **oxide** of copper ...  
[Web Search](#)

### Heavy-Metal Oxide Classes

WH Dumbaugh, JC Lapp - [blackwell-synergy.com](#)  
 ... EO is a lead **bismuth** gallate glass and H is an **iron** cadmium lead bismuth- ate glass.  
 in Fig. 4, and is at the highest wavelength of any **oxide** glass. ...  
 Cited by 24 - [Web Search](#) - [csa.com](#) - [csa.com](#)

### ... -optic spectra and the dielectric tensor elements of bismuth-substituted iron garnets at photon ...

S Wittekoek, TJA Popma, JM Robertson, PF Bongers - Physical Review B, 1975 - [link.aps.org](#)  
 ... from a molecular-orbital model for the ferric **oxide** compounds ... smaller mixing will  
 also occur between the **iron** 3d orbitals and the **bismuth** orbitals via ...  
 Cited by 31 - [Web Search](#) - [adsabs.harvard.edu](#)

### Chemical Bath Deposition of Bismuth Chloride Oxide (BiClO) Thin Film and its Applications

FI Ezema - [akamaiuniversity.us](#)  
 ... The spectral absorbance of **bismuth** chloride **oxide** grown under varying ...  $n_o$  ) or by  
 $(n_o)^2$ , which is known as the high frequency **dielectric** constant. ...  
[View as HTML](#) - [Web Search](#)

### Optical properties of lead-bismuth cuprous glasses

PT DESHMUKH, BDK, VS DEOGAONKAR, SP YAWALE, SV ... - Bull. Mater. Sci, 2003 - [ias.ac.in](#)  
 ... several **iron** phos- phate and sodium **iron** phosphate glasses ... done on the optical  
 properties of **oxide** glasses ... Optical properties of lead-bismuth cuprous glasses ...  
[View as HTML](#) - [Web Search](#) - [csa.com](#)

### Theoretical consideration of Faraday rotation spectra of bismuth substituted yttrium iron garnet ...

K Matsumoto, S Sasaki, K Haraga, K Yamaguchi, T ... - IEEE Transactions on Magnetics, 1992 - [ieeexplore.ieee.org](#)  
 ... crystal orthofer- rites, garnets and other ferric **oxide** compounds ' I ... and the dielec-  
 tric tensor elements of **bismuth**-substituted **iron** garnets at ...  
 Cited by 1 - [Web Search](#) - [ieeexplore.ieee.org](#)

### Heat-reflecting windows using gold and bismuth oxide films

O MEASUREMENTS - [iop.org](#)  
 ... easier to produce than the all-dielectric multi-layer ... using glass windows coated  
 with **bismuth oxide** and gold of ... satisfactorily applied so far to **iron** and alloy ...  
[Web Search](#)

### Anodic Overvoltage Measurements with the Cathode Ray Oscillograph

E Newbery - Proceedings of the Royal Society of London. Series A, ..., 1927 - [links.jstor.org](#)

# Searching PAJ

[MENU](#)[NEWS](#)[HELP](#)**Search Results : 52**[Index Indication](#)[Clear](#)**Text Search**

If you want to conduct a Number Search, please click on  
the button to the right.

[Number Search](#)**Applicant, Title of invention, Abstract — e.g. computer semiconductor**

If you use the AND/OR operation, please leave a **SPACE** between keywords.

One letter word or **Stopwords** are not searchable.

AND



AND

AND



AND

AND



AND

**Date of publication of application — e.g. 19980401 - 19980405** - 

AND

**IPC — e.g. D01B7/04 A01C11/02**

If you use the OR operation, please leave a **SPACE** between keywords.

[Search](#)[Stored data](#)

Copyright (C); 1998,2003 Japan Patent Office

**RESULT LIST**

4 results found in the Worldwide database for:

**piezoelectric and ceramic** in the title AND **first and second and dielectric** in the title or abstract

(Results are sorted by date of upload in database)

- 1    Ultrasound converter array comprises a number of elements consisting of piezoelectric ceramic layers and electrodes**  
Inventor: SMITH LOWELL SCOTT (US); WILDES DOUGLAS GLEN (US); (+1)    Applicant: GEN ELECTRIC (US)  
EC: B06B1/06C3E; H04R17/00    IPC: **B06B1/06; H04R17/00; B06B1/06** (+5)  
Publication info: **DE10155894** - 2002-09-12
- 2    Piezoelectric ceramic composition, and high power output transformer made of the same composition**  
Inventor: KIM JONG SUN (KR); YOO CHOONG SIK (KR); (+2)    Applicant: SAMSUNG ELECTRO MECH (US)  
EC: C04B35/493; H01L41/107; (+1)    IPC: **C04B35/493; H01L41/107; H01L41/187** (+5)  
Publication info: **US2001054704** - 2001-12-27
- 3    PIEZOELECTRIC CERAMIC COMPOSITION, AND HIGH POWER PIEZOELECTRIC TRANSFORMER**  
Inventor: KIN SHOSEN; RYU CHUSHOKU; (+2)    Applicant: SAMSUNG ELECTRO MECH  
EC:    IPC: **C04B35/00; C04B35/49; H01B3/12** (+12)  
Publication info: **JP2001316181** - 2001-11-13
- 4    COMPOUND CERAMIC CAPACITOR FOR PREVENTING PIEZOELECTRIC RESONANCE PHENOMENA**  
Inventor: HARADA JIRO; YAMAGUCHI HISASHI    Applicant: MITSUBISHI MATERIALS CORP  
EC:    IPC: **H01G4/38; H01G4/38**; (IPC1-7): H01G1/16 (+1)  
Publication info: **JP4293216** - 1992-10-16

---

Data supplied from the **esp@cenet** database - Worldwide



Canadian Intellectual  
Property Office

Office de la propriété  
intellectuelle du Canada

Canada

Français  
Strategis

Contact Us  
Site Map

Help  
What's New

Search  
About Us

Canada Site  
Registration

strategis.gc.ca



Strategis Index: [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#)



[CIPO Home](#)

[Patents Main Page](#)

**PATENTS  
DATABASE**

[Search Options](#)

[Basic](#)

[Number](#)

[Boolean](#)

[Advanced](#)

[Help](#)

[Content](#)

[Searching](#)

[Search Language](#)

[FAQ](#)

[Disclaimer](#)

[Foreign Patent Links](#)

[Decisions of the  
Commissioner of  
Patents](#)

[Trade-marks  
Database](#)

[Copyrights Database](#)

[Industrial Designs  
Database](#)

## Canadian Patents Database

### Search Results 01/24/2006 - 14:51:13



Query :

((("first dielectric" and "second dielectri

Query: (("first dielectric" and "second dielectric")) <AND> ( ( (piezoelectric and ceramic) ) <in> title )

**Sorry, no patents were found matching your query**

Please modify your query and try again. [Example queries](#) and [search language help](#) are available.

Last Modified: 2002-12-31



[Important Notices](#)

Searching PCT (Full Text)...

[Search Summary]

Results of searching in PCT (Full Text) for:

piezoelectric and "first dielectric" and "second dielectric": 39 records

Showing records 1 to 25 of 39 :

Final 14 records	Start At	
Refine Search	piezoelectric and "first dielectric" and "second dielecti	

Title

1. (WO 2005/119775) SEMICONDUCTOR STRUCTURE COMPRISING A STRESS SENSITIVE ELEMENT AND METHOD OF MEASURING A STRESS IN A SEMICONDUCTOR STRUCTURE
2. (WO 2005/065402) RARE EARTH-OXIDES, RARE EARTH-NITRIDES, RARE EARTH-PHOSPHIDES AND TERNARY ALLOYS WITH SILICON
3. (WO 2005/065357) RARE EARTH-OXIDES, RARE-EARTH-NITRIDES, RARE EARTH-PHOSPHIDES AND TERNARY ALLOYS WITH SILICON
4. (WO 2005/040715) Z-AXIS ANGULAR RATE MICRO ELECTRO-MECHANICAL SYSTEMS (MEMS) SENSOR
5. (WO 2005/034345) RESONATOR STRUCTURE AND METHOD OF PRODUCING IT
6. (WO 2005/033755) PARTITIONED-CAVITY TUNABLE FABRY-PEROT FILTER
7. (WO 2005/031926) DIODE-PUMPED MICROLASERS INCLUDING RESONATOR MICROCHIPS AND METHODS FOR PRODUCING SAME
8. (WO 2005/010931) MODULAR CONNECTIONS OF **PIEZOELECTRIC** TRANSFORMERS FOR HIGH POWER AND HIGH VOLTAGE POWER SUPPLIES  
[Repub: 10.03.2005]
9. (WO 2005/013225) TRIBOELECTRIC, RANGING, OR DUAL USE SECURITY SENSOR CABLE AND METHOD OF MANUFACTURING SAME
10. (WO 2005/010931) MODULAR CONNECTIONS OF **PIEZOELECTRIC** TRANSFORMERS FOR HIGH POWER AND HIGH VOLTAGE POWER SUPPLIES
11. (WO 2005/003704) THERMAL DETECTOR
12. (WO 2004/106069) INKJET PRINTER HAVING IMPROVED EJECTOR CHIP
13. (WO 2004/084747) APPARATUS AND METHOD FOR OPTIMIZING TUMOR TREATMENT EFFICIENCY BY ELECTRIC FIELDS
14. (WO 2004/077530) TITANIUM CARBOXYLATE FILMS FOR USE IN SEMICONDUCTOR PROCESSING
15. (WO 2004/030760) APPARATUS FOR TREATING A TUMOR OR THE LIKE AND ARTICLES INCORPORATING THE APPARATUS FOR TREATMENT OF THE TUMOR
16. (WO 2004/030113) **PIEZOELECTRIC** VIBRATOR AND FABRICATING METHOD THEREOF
17. (WO 02/065606) ENERGY PATHWAY ARRANGEMENTS FOR ENERGY CONDITIONING
18. (WO 01/037033) SPATIAL LIGHT MODULATOR  
[Repub: 15.08.2002]
19. (WO 02/059401) ENERGY PATHWAY ARRANGEMENT